BRAIN RESEARCH

VOL. 772 NOS. 1,2 **CONTENTS** **24 OCTOBER 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement v

Guidelines for the submission of manuscripts vii

Research reports

Reversible sedimentation and masking of nerve growth factor (NGF) antigen by high molecular weight fractions from rat brain
M.C. Hoener and S. Varon (USA) 1

Distribution of *N*-acetylaspartylglutamate immunoreactivity in human brain and its alteration in neurodegenerative disease
L.A. Passani, J.P.G. Vonsattel and J.T. Coyle (USA) 9

Reduced activity of the pyruvate dehydrogenase complex but not cytochrome *c* oxidase is associated with neuronal loss in the striatum following short-term forebrain ischemia
E. Zaidan and N.R. Sims (Australia) 23

Characterization of the extracellular serotonin release in the substantia nigra of the freely moving rat using microdialysis
K. Thorné, S. Sarre, G. Ebinger and Y. Michotte (Belgium) 29

Late-onset lipid peroxidation and neuronal cell death following transient forebrain ischemia in rat brain
Y. Kondo, M. Asanuma, S. Nishibayashi, E. Iwata and N. Ogawa (Japan) 37

Glutamate metabotropic receptor agonist 1*S*,3*R*-ACPD induces internucleosomal DNA fragmentation and cell death in rat striatum
Y. Wang, Z.-H. Qin, M. Nakai and T.N. Chase (USA) 45

Neuroprotection by the novel calcium antagonist PCA50938, nimodipine and flunarizine, in gerbil global brain ischemia
P. Zapater, J. Moreno and J.F. Horga (Spain) 57

Chronic exposure to inorganic lead increases high-threshold voltage-gated calcium currents in rat pheochromocytoma (PC12) cells
C.C. Hegg and V. Miletic (USA) 63

The *N*-methyl-D-aspartate (NMDA) receptor is postsynaptic to substance P-containing axon terminals in the rat superficial dorsal horn
S.A. Aicher, S. Sharma, P.Y. Cheng and V.M. Pickel (USA) 71

Capsaicin-induced sensitization of primate spinothalamic tract cells is prevented by a protein kinase C inhibitor
K.A. Sluka, H. Rees, P.-S. Chen, M. Tsuruoka and W.D. Willis (USA, Japan) 82

Behavioral interactions have rapid effects on immunoreactivity of prohormone and gonadotropin-releasing hormone peptide
V.C. Tai, P.A. Schiml, X. Li and E.F. Rissman (USA) 87

Evidence for 5-HT_4 receptor involvement in the enhancement of acetylcholine release by *p*-chloroamphetamine in rat frontal cortex
T. Yamaguchi, M. Suzuki and M. Yamamoto (Japan) 95

Orphanin FQ has an inhibitory effect on the guinea pig ileum and the mouse vas deferens
G. Zhang, T.F. Murray and D.K. Grandy (USA) 102

Role of angiotensin II receptor subtypes in mediating the sympathoexcitatory effects of exogenous and endogenous angiotensin peptides in the rostral ventrolateral medulla of the rabbit
Y. Hirooka, P.D. Potts and R.A.L. Dampney (Australia) 107

Differential 5-HT-mediated regulation of stress-induced activation of proopiomelanocortin (POMC) gene expression in the anterior and intermediate lobe of the pituitary in male rats
L. García-García, J.A. Fuentes and J. Manzanares (Spain) 115

Brain structures involved in the behavioral stimulant effect of central serotonin release
C.H. Vanderwolf, M. McLauchlin, H.C. Dringenberg and G.B. Baker (Canada) 121

Responses of primary afferents and spinal dorsal horn neurons to thermal and mechanical stimuli before and during zymosan-induced inflammation of the rat hindpaw
A. Randich, S.T. Meller and G.F. Gebhart (USA) 135

Immunohistochemical and RT-PCR detection of Na^+-dependent inorganic phosphate cotransporter (NaP_i-2) in rat brain
S. Hisano, H. Haga, Z. Li, S. Tatsumi, K.-I. Miyamoto, E. Takeda and Y. Fukui (Japan) 149

Carbonyl histochemistry in rat reperfusion nerve injury
G.M. Anderson, H. Nukada and P.D. McMorran (New Zealand) 156

Upregulation of the expression of vasopressin gene in the paraventricular and supraoptic nuclei of the lithium-induced diabetes insipidus rat
H. Anai, Y. Ueta, R. Serino, M. Nomura, N. Kabashima, I. Shibuya, M. Takasugi, Y. Nakashima and H. Yamashita (Japan) 161

Role of dorsal vagal motor nucleus in angiotensin II-mediated tachycardia in the conscious trout *Oncorhynchus mykiss*
T.F. Pamantung, J.-P. Leroy, D. Mabin and J.-C. Le Mével (France) 167

(contents continued on p. 254)

0006-8993(19971024)772:1/2;1-F

BRAIN RESEARCH

VOL. 772 NOS. 1,2 **CONTENTS** **24 OCTOBER 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement v

Guidelines for the submission of manuscripts vii

Research reports

Reversible sedimentation and masking of nerve growth factor (NGF) antigen by high molecular weight fractions from rat brain
M.C. Hoener and S. Varon (USA) 1

Distribution of *N*-acetylaspartylglutamate immunoreactivity in human brain and its alteration in neurodegenerative disease
L.A. Passani, J.P.G. Vonsattel and J.T. Coyle (USA) 9

Reduced activity of the pyruvate dehydrogenase complex but not cytochrome *c* oxidase is associated with neuronal loss in the striatum following short-term forebrain ischemia
E. Zaidan and N.R. Sims (Australia) 23

Characterization of the extracellular serotonin release in the substantia nigra of the freely moving rat using microdialysis
K. Thorné, S. Sarre, G. Ebinger and Y. Michotte (Belgium) 29

Late-onset lipid peroxidation and neuronal cell death following transient forebrain ischemia in rat brain
Y. Kondo, M. Asanuma, S. Nishibayashi, E. Iwata and N. Ogawa (Japan) 37

Glutamate metabotropic receptor agonist 1*S*,3*R*-ACPD induces internucleosomal DNA fragmentation and cell death in rat striatum
Y. Wang, Z.-H. Qin, M. Nakai and T.N. Chase (USA) 45

Neuroprotection by the novel calcium antagonist PCA50938, nimodipine and flunarizine, in gerbil global brain ischemia
P. Zapater, J. Moreno and J.F. Horga (Spain) 57

Chronic exposure to inorganic lead increases high-threshold voltage-gated calcium currents in rat pheochromocytoma (PC12) cells
C.C. Hegg and V. Miletic (USA) 63

The *N*-methyl-D-aspartate (NMDA) receptor is postsynaptic to substance P-containing axon terminals in the rat superficial dorsal horn
S.A. Aicher, S. Sharma, P.Y. Cheng and V.M. Pickel (USA) 71

Capsaicin-induced sensitization of primate spinothalamic tract cells is prevented by a protein kinase C inhibitor
K.A. Sluka, H. Rees, P.-S. Chen, M. Tsuruoka and W.D. Willis (USA, Japan) 82

Behavioral interactions have rapid effects on immunoreactivity of prohormone and gonadotropin-releasing hormone peptide
V.C. Tai, P.A. Schiml, X. Li and E.F. Rissman (USA) 87

Evidence for 5-HT_4 receptor involvement in the enhancement of acetylcholine release by *p*-chloroamphetamine in rat frontal cortex
T. Yamaguchi, M. Suzuki and M. Yamamoto (Japan) 95

Orphanin FQ has an inhibitory effect on the guinea pig ileum and the mouse vas deferens
G. Zhang, T.F. Murray and D.K. Grandy (USA) 102

Role of angiotensin II receptor subtypes in mediating the sympathoexcitatory effects of exogenous and endogenous angiotensin peptides in the rostral ventrolateral medulla of the rabbit
Y. Hirooka, P.D. Potts and R.A.L. Dampney (Australia) 107

Differential 5-HT-mediated regulation of stress-induced activation of proopiomelanocortin (POMC) gene expression in the anterior and intermediate lobe of the pituitary in male rats
L. García-García, J.A. Fuentes and J. Manzanares (Spain) 115

Brain structures involved in the behavioral stimulant effect of central serotonin release
C.H. Vanderwolf, M. McLauchlin, H.C. Dringenberg and G.B. Baker (Canada) 121

Responses of primary afferents and spinal dorsal horn neurons to thermal and mechanical stimuli before and during zymosan-induced inflammation of the rat hindpaw
A. Randich, S.T. Meller and G.F. Gebhart (USA) 135

Immunohistochemical and RT-PCR detection of Na^+-dependent inorganic phosphate cotransporter (NaP_i-2) in rat brain
S. Hisano, H. Haga, Z. Li, S. Tatsumi, K.-I. Miyamoto, E. Takeda and Y. Fukui (Japan) 149

Carbonyl histochemistry in rat reperfusion nerve injury
G.M. Anderson, H. Nukada and P.D. McMorran (New Zealand) 156

Upregulation of the expression of vasopressin gene in the paraventricular and supraoptic nuclei of the lithium-induced diabetes insipidus rat
H. Anai, Y. Ueta, R. Serino, M. Nomura, N. Kabashima, I. Shibuya, M. Takasugi, Y. Nakashima and H. Yamashita (Japan) 161

Role of dorsal vagal motor nucleus in angiotensin II-mediated tachycardia in the conscious trout *Oncorhynchus mykiss*
T.F. Pamantung, J.-P. Leroy, D. Mabin and J.-C. Le Mével (France) 167

(contents continued on p. 254)

0006-8993(19971024)772:1/2;1-F

(contents continued)

Tetrodotoxin blocks NPY-induced but not muscimol-induced phase advances of wheel-running activity in Syrian hamsters
K.L. Huhman, C.L. Marvel, C.F. Gillespie, E.M. Mintz and H.E. Albers (USA) 176
Modulation of anxiety-related behaviours following lesions of the prelimbic or infralimbic cortex in the rat
A.L. Jinks and I.S. McGregor (Australia) 181
Spermine does not compete with ω-conotoxin GVIA in the stratum radiatum of the hippocampal slice
V.A. Eterović, E. Torres and P.A. Ferchmin (USA) 191
Peripheral-type benzodiazepine receptor ligands and serum steroid hormones
R. Weizman, S. Leschiner, W. Schlegel and M. Gavish (Israel, Germany) 203
Differential effects of restraint stress on hippocampal 5-HT metabolism and extracellular levels of 5-HT in streptozotocin-diabetic rats
K. Thorré, F. Chaouloff, S. Sarre, R. Meeusen, G. Ebinger and Y. Michotte (Belgium, France) 209
GABA-immunoreactive neurones and interactions of GABA with serotonin and FMRFamide in a peripheral sensory ganglion of the pond snail *Lymnaea stagnalis*
L. Nezlin and E. Voronezhskaya (Russian Federation) 217
Presynaptic action of the neurosteroid pregnenolone sulfate on inhibitory transmitter release in cultured hippocampal neurons
A. Teschemacher, S. Kasparov, E.A. Kravitz and R. Rahamimoff (USA, Russian Federation, Israel) 226
Removal of tissue plasminogen activator does not protect against neuronal degeneration in the cerebellum of the *weaver* mouse
P.E. Mecenas, S.E. Tsirka, F. Sallés and S. Strickland (USA) 233

Short communications

Opponent effects of quinine and sucrose on single fiber taste responses of the chorda tympani nerve
B.K. Formaker, B.I. MacKinnon, T.P. Hettinger and M.E. Frank (USA) 239
Insulin-like growth factor-I receptors in normal appearing white matter and chronic plaques in multiple sclerosis
N. Wilczak and J. De Keyser (The Netherlands) 243
Hypoglycemia enhances the expression of mRNA encoding β-amyloid precursor protein in rat primary cortical astroglial cells
J. Shi, Y. Xiang and J.W. Simpkins (USA) 247

Author Index 252